



Q=2.5 m³/s

NAMO (msnm)	Gasto (m3/s)	Déficit (%)	Deficit (Mm3)	total meses déficit	meses		Años déficit	Con Derrames (Mm3)
					con consecutivos con déficit			
1600	2.5	7.509	355.224	94		5	43	20656.01
1601	2.5	3.577	169.221	50		5	28	20463.48
1601.2	2.5	3.032	143.426	42		5	23	20436.36
1601.21	2.5	3.008	142.279	42		5	23	20435.16
1601.22	2.5	2.984	141.132	42		5	23	20433.95
1601.22	2.5	2.984	141.132	42		5	23	20433.95
1601.5	2.5	2.406	113.806	33		4	18	20404.79
1601.65	2.5	2.129	100.717	31		4	18	20390.72
1601.68	2.5	2.074	98.097	31		4	18	20387.91
1601.69	2.5	2.056	97.235	31		4	18	20386.98
1601.7	2.5	2.037	96.369	30		4	17	20386.05
1601.7	2.5	2.037	96.369	30		4	17	20386.05
1601.72	2.5	2.003	94.731	30		4	17	20384.29
1601.73	2.5	1.985	93.913	30		4	17	20383.4
1601.8	2.5	1.868	88.367	28		4	16	20377.4
1602	2.5	1.573	74.406	23		4	12	20362.16
1602	2.5	1.573	74.406	23		4	12	20362.16
1602.5	2.5	1.145	54.169	16		4	7	20338.75
1602.78	2.5	1.001	47.333	14		4	6	20330.17
1602.79	2.5	0.996	47.116	14		4	6	20329.89
1602.79	2.5	0.996	47.116	14		4	6	20329.89
1602.8	2.5	0.991	46.899	14		4	6	20329.62
1603	2.5	0.9	42.562	13		4	6	20324.03
1604	2.5	0.538	25.472	7		3	3	20300.64
1605	2.5	0.264	12.467	4		2	2	20281.29
1606	2.5	0.035	1.656	1		1	1	20262.82
1606.2	2.5	0.007	0.324	1		1	1	20260.01
1606.22	2.5	0.004	0.191	1		1	1	20259.73
1606.23	2.5	0.003	0.124	1		1	1	20259.59
1606.24	2.5	0.001	0.058	1		1	1	20259.45
1606.25	2.5	0	0	0		0	0	20259.32
1606.25	2.5	0	0	0		0	0	20259.32
1606.3	2.5	0	0	0		0	0	20258.96
1606.5	2.5	0	0	0		0	0	20257.51

Gasto	0%	1%	2%	3%
2.50	1606.25	1602.79	1601.72	1601.22
3.00	1610.06	1606.48	1604.34	1603.44
3.70	1614.21	1610.92	1608.60	1606.58
4.00	1615.77	1612.53	1610.40	1608.29
4.70	1623.44	1617.45	1615.18	1612.68
5.00	1626.34	1619.85	1616.91	1614.74
5.60	1631.10	1624.97	1620.30	1618.00
5.80	1632.33	1626.49	1621.22	1619.07



Q=4.0 m3/s

NAMO (msnm)	Gasto (m3/s)	Déficit (%)	Deficit (Mm3)	total meses déficit	meses		Años déficit	Con Derrames (Mm3)
					con con déficit	consecutivos con déficit		
1605	4	8.711	659.289	104	9	43	18113.3	
1606	4	5.796	438.689	67	8	32	17885.08	
1607	4	3.974	300.808	48	8	20	17739.74	
1607.5	4	3.446	260.846	38	7	12	17696.11	
1608	4	3.127	236.682	32	7	8	17668.39	
1608	4	3.127	236.682	32	7	8	17668.39	
1608.28	4	3.002	227.174	32	7	8	17656.92	
1608.29	4	2.997	226.834	31	7	8	17656.51	
1608.3	4	2.993	226.494	31	7	8	17656.1	
1608.5	4	2.903	219.705	31	7	8	17647.92	
1609	4	2.679	202.736	28	7	7	17627.49	
1610	4	2.231	168.863	22	7	6	17585.84	
1610	4	2.231	168.863	22	7	6	17585.84	
1610.3	4	2.058	155.74	21	6	6	17570.07	
1610.32	4	2.046	154.87	21	6	6	17569.02	
1610.34	4	2.035	153.995	21	6	6	17567.97	
1610.35	4	2.029	153.558	21	6	6	17567.44	
1610.37	4	2.017	152.682	21	6	6	17566.39	
1610.39	4	2.006	151.807	20	6	6	17565.34	
1610.4	4	2	151.37	20	6	6	17564.81	
1610.5	4	1.942	147.004	20	6	6	17559.56	
1611	4	1.705	129.044	17	6	5	17537.13	
1611	4	1.705	129.044	17	6	5	17537.13	
1612	4	1.243	94.082	12	4	4	17493.06	
1612.4	4	1.059	80.13	11	4	4	17475.39	
1612.5	4	1.013	76.647	11	4	4	17470.97	
1612.53	4	0.999	75.601	11	4	4	17469.64	
1612.53	4	0.999	75.601	11	4	4	17469.64	
1612.54	4	0.994	75.252	11	4	4	17469.2	
1612.55	4	0.99	74.903	11	4	4	17468.75	
1612.8	4	0.879	66.556	9	4	3	17458.04	
1613	4	0.81	61.338	8	3	3	17450.92	
1613	4	0.81	61.338	8	3	3	17450.92	
1614	4	0.466	35.26	5	2	3	17415.09	
1615	4	0.22	16.619	3	2	2	17386.24	
1615.5	4	0.072	5.474	2	1	2	17368.26	
1615.6	4	0.043	3.245	2	1	2	17364.66	
1615.7	4	0.013	1.017	2	1	2	17361.06	
1615.75	4	0.002	0.132	1	1	1	17359.48	
1615.76	4	0	0.02	1	1	1	17359.23	
1615.77	4	0	0	0	0	0	17359.08	
1615.77	4	0	0	0	0	0	17359.08	
1615.77	4	0	0	0	0	0	17359.08	
1615.8	4	0	0	0	0	0	17358.67	
1616	4	0	0	0	0	0	17355.94	

Q=5.0 m3/s

NAMO (msnm)	Gasto (m3/s)	Déficit (%)	Deficit (Mm3)	total meses déficit	meses		Años déficit	Con Derrames (Mm3)
					con consecutivos con déficit			
1611	5	5.289	500.398	51		8	13	16035.64
1612	5	4.549	430.376	46		8	13	15957.02
1613	5	3.886	367.682	38		8	10	15885.59
1614	5	3.311	313.24	32		8	9	15822.24
1614.5	5	3.088	292.136	29		8	7	15796.62
1614.55	5	3.069	290.387	29		8	7	15794.41
1614.6	5	3.051	288.643	28		8	7	15792.22
1614.7	5	3.014	285.153	28		8	7	15787.82
1614.74	5	2.999	283.755	28		8	7	15786.06
1614.75	5	2.996	283.405	28		8	7	15785.62
1614.76	5	2.992	283.056	28		8	7	15785.18
1614.77	5	2.988	282.706	27		8	7	15784.74
1614.8	5	2.977	281.659	27		8	7	15783.41
1615	5	2.903	274.688	27		8	7	15774.62
1615	5	2.903	274.688	27		8	7	15774.62
1616	5	2.428	229.674	23		8	6	15717.55
1616.8	5	2.05	193.981	18		8	5	15671.78
1616.85	5	2.027	191.763	18		8	5	15668.92
1616.9	5	2.003	189.539	18		8	5	15666.05
1616.91	5	1.999	189.094	18		8	5	15665.47
1616.92	5	1.994	188.649	18		8	5	15664.9
1617	5	1.956	185.097	18		8	5	15660.31
1617	5	1.956	185.097	18		8	5	15660.31
1618	5	1.505	142.374	14		8	4	15604.73
1619	5	1.194	112.978	11		8	3	15562.55
1619.5	5	1.079	102.077	10		8	3	15545.36
1619.6	5	1.056	99.898	10		8	3	15541.93
1619.7	5	1.033	97.72	10		8	3	15538.5
1619.75	5	1.021	96.63	9		8	3	15536.79
1619.78	5	1.014	95.976	9		8	3	15535.76
1619.8	5	1.01	95.54	9		8	3	15535.07
1619.81	5	1.008	95.322	9		8	3	15534.73
1619.82	5	1.005	95.107	9		8	3	15534.39
1619.84	5	1.001	94.671	9		8	3	15533.71
1619.85	5	0.998	94.453	9		8	3	15533.36
1620	5	0.964	91.182	9		8	3	15528.24
1621	5	0.782	73.993	7		7	2	15496.11
1622	5	0.642	60.693	6		6	1	15468.41
1623	5	0.502	47.457	5		5	1	15441.09
1624	5	0.363	34.312	3		3	1	15411.85
1625	5	0.224	21.219	2		2	1	15384.76
1626	5	0.056	5.284	1		1	1	15352.03
1626.3	5	0.005	0.5	1		1	1	15342.42
1626.32	5	0.002	0.182	1		1	1	15341.78
1626.33	5	0	0.023	1		1	1	15341.47
1626.34	5	0	0	0		0	0	15341.28
1626.34	5	0	0	0		0	0	15341.28
1626.4	5	0	0	0		0	0	15340.29
1626.5	5	0	0	0		0	0	15338.64

Q=5.6 m3/s

NAMO (msnm)	Gasto (m3/s)	Déficit (%)	Deficit (Mm3)	total meses déficit	meses		Años déficit	Con Derrames (Mm3)
					con consecutivos con déficit			
1615	5.6	4.965	526.073		46	9	12	14902.52
1616	5.6	4.146	439.314		39	9	11	14804.08
1617	5.6	3.468	367.471		32	9	10	14720.43
1617.5	5.6	3.212	340.316		30	9	8	14687.39
1617.8	5.6	3.084	326.796		28	9	7	14670.36
1617.9	5.6	3.042	322.297		28	9	7	14664.68
1617.99	5.6	3.003	318.25		27	9	7	14659.57
1618	5.6	2.999	317.8		27	9	7	14659
1619	5.6	2.575	272.881		24	9	6	14602.14
1620	5.6	2.154	228.251		21	9	6	14545.3
1620.2	5.6	2.049	217.128		19	9	5	14531.14
1620.25	5.6	2.023	214.349		19	9	5	14527.59
1620.28	5.6	2.007	212.682		19	9	5	14525.47
1620.29	5.6	2.002	212.127		19	9	5	14524.76
1620.29	5.6	2.002	212.127		19	9	5	14524.76
1620.3	5.6	1.997	211.571		19	9	5	14524.05
1621	5.6	1.698	179.921		16	9	4	14481.8
1621	5.6	1.698	179.921		16	9	4	14481.8
1622	5.6	1.439	152.428		13	9	3	14439.66
1623	5.6	1.249	132.296		11	9	2	14405.28
1624	5.6	1.122	118.923		10	9	2	14377.94
1624.9	5.6	1.009	106.93		9	9	2	14351.44
1624.92	5.6	1.007	106.664		9	9	2	14350.91
1624.93	5.6	1.005	106.531		9	9	2	14350.64
1624.94	5.6	1.004	106.399		9	9	2	14350.38
1624.95	5.6	1.003	106.266		9	9	2	14350.11
1624.96	5.6	1.002	106.133		9	9	2	14349.84
1624.97	5.6	1	106		9	9	2	14349.58
1624.98	5.6	0.999	105.866		9	9	2	14349.31
1625	5.6	0.997	105.6		9	9	2	14348.78
1625	5.6	0.997	105.6		9	9	2	14348.78
1626	5.6	0.844	89.402		7	7	2	14316.54
1627	5.6	0.691	73.203		6	6	1	14284.71
1628	5.6	0.538	57.008		5	5	1	14253.33
1629	5.6	0.385	40.839		4	4	1	14222.43
1630	5.6	0.233	24.73		2	2	1	14192.12
1631	5.6	0.02	2.172		1	1	1	14150.62
1631.08	5.6	0.003	0.365		1	1	1	14147.35
1631.09	5.6	0.001	0.139		1	1	1	14146.94
1631.09	5.6	0.001	0.139		1	1	1	14146.94
1631.1	5.6	0	0		0	0	0	14146.62
1631.1	5.6	0	0		0	0	0	14146.62
1631.1	5.6	0	0		0	0	0	14146.62
1631.15	5.6	0	0		0	0	0	14145.66
1631.2	5.6	0	0		0	0	0	14144.7
1631.23	5.6	0	0		0	0	0	14144.12
1631.25	5.6	0	0		0	0	0	14143.73
1631.3	5.6	0	0		0	0	0	14142.78
1631.5	5.6	0	0		0	0	0	14138.98

